



Proudly Built To Last in the
USA for 75 years.

Since we designed and built our first hoist,
RGC has maintained a standard for
excellence in technology and durability.
For 75 years, RGC has provided safe and
simple solutions so you can get the job
done. From concept to creation, our
products are innovative, efficient and
built to last. Through our focus on
intelligent engineering, low maintenance
and superior functionality,
RGC products put you ahead of the game.



RGC HOISTING

1849 Harlem Road | Buffalo, NY 14212
1-800-831-LIFT (5438) | 716-895-1547 (fax)
WWW.RGCHOISTING.COM
SALES@RGCHOISTING.COM

RGC | HOISTING
REIMANN&GEORGER CORP.



**BUILT
TO
LAST**



PLATFORM HOISTS



- 200 lb. & 400 lb. capacities available
- Gas or Electric Power Drive options
- 4', 8', & 16' Track lengths available

SAFE

- Easy-to-reach long clutch and brake handles
- Operate safely from side of load, not under it
- Smooth, controlled platform descent
- Dual anchor points on 3rd and 5th track cross ties
- Heavy cast aluminum shoes on base add stability
- Cross tie support brackets on base add rigidity & stability

EASY

- Easy transporting, lightweight
- Quick easy assembly, no special tools required
- **SAVES TIME** & man power
- Large, open platform with removable rollers
- 4-hp B&S or Honda or 1.5-hp Electric motor
- Packages available or customize to fit your needs

RELIABLE

- Heavy-duty aluminum design
- Low maintenance and long lasting
- Durable steel guide rollers provide exceptional wear resistance
- RGC has been the preferred choice for construction professionals for 75 years.

Side mounted handles allow safe operation from side of load, not under it

Drive mounts with adequate ground clearance



TRACK PACKAGE OPTIONS:

Track Length	Option A	Option B
12 ft	8' base + 4' track	n/a
16 ft	16' base	8' base + 8' track
28 ft	16' base + 8' track + 4' track	8' base + (2) 8' tracks + 4' track
44 ft	16' base + 16', 8' & 4' tracks	8' base + (4) 8' tracks + 4' track

CLASSIC DRIVE HOIST SPECIFICATIONS:

	Classic 400	Classic 200
Load Capacity	400 lbs.	200 lbs.
Lift Speed	110 fpm	220 fpm
Platform size	24 in. x 24 in.	17 in. x 18 in.
Track (3-3/4 in. side rail)	24 in. wide	17 in. wide



Classic Honda Power Drive



Classic B&S Power Drive



Classic Electric Power Drive

(Pictured as shipped-handles operate on side of unit when assembled as pictured above)

PLATFORM ACCESSORIES



PIVOTING PLATFORM HOIST



Your job is easier than ever with
RGC's Platform Hoist Accessories:



- **Solar Panel Attachment** - Raise solar panels safely & efficiently
- **Plywood/Truss Carrier** - Lifts plywood, wallboard, roof trusses, framing materials, doors & more
- **Roller Angle Guide** - Safely move material away from roof's edge on shallow inclines. 6' long for use on 400 lb. hoist
- **400 lb. Gravel Hopper** - Lifts granular materials & discharges loads into wheel barrows, spreaders & other containers
- **200 lb. & 400 lb. Telescoping Support** - reinforces support for track lengths more than 28'

Pivoting Platform Hoist - All the same benefits of our Classic Platform Hoists with these additional features:

- Delivers product safely away from the roof's edge
- The functionality of a conveyor belt without the hefty price
- Adaptable track configuration assembles easily
- Adjustable from 35' to 70', adaptable to nearly any sloped roof
- Supports up to 400 lbs. and up to 44' tall
- Gas or electric drive options available

ROOF BRACKETS & SHINGLERS

Steel-crafted brackets and shinglers come in a variety of angles and are adjustable to fit most roof pitches.



SWING HOISTS



SWING HOIST ACCESSORIES



- 1,000 lb. & 2,000 lb. capacities
- Gas or Electric Drive options

EASY

- Separate winch & power unit for easy handling
- Quick easy assembly with self locking pins
- Easy transporting with split-leg frame design

SAFE

- Complete control of lifting and lowering speed
- Self-locking hydraulic boom
- Safe loading & unloading of materials
- Protective fence improves safety
- Cable keeper for added lifting safety
- Nesting ballast weight shells included
- Limit switch option enhances safety

RELIABLE

- Rugged, heavy-duty construction
- Superior engineering for safety and longevity
- High strength steel tubing is low maintenance
- Optional rotation-resistant wire rope improves reliability



- **Hydrawinch** – Durable and reliable. Standard & heavy duty options available.



- **Hydrapak** – Single power source for reliable, efficient hydraulic power.



- **Gravel bucket** – Available in 400 lb., 800 lb. & 1600 lb. capacities.



- **Hoisting Fork** – Available in 1000 lb. and 2000 lb. capacities.



- **Ballast Weight Shells** – Easy to assemble 3-piece snap-lock design.



- **Trash Trays** – Available in 400 lb. and 1200 lb. capacities.

Hand Swing Hoist – Ideal for small jobs and raising Swing Hoist frames into location

- 300 lb. capacity
- Manual operation (Optional handwinch available)